

MERTI INTEGRATED DEVELOPMENT PROGRAMME (MID-P)

P.O. Box 687-60300, Isiolo

Tel: 0721576803 | Email: midp2003@gmail.com

Website: www.midpkenya.org

REQUEST FOR QUOTATION (RFQ)

**SUPPLY AND DELIVERY OF PROFESSIONAL PHOTOGRAPHY, VIDEOGRAPHY AND
AERIAL IMAGING EQUIPMENT**

RFQ Details	Information
RFQ No.	MIDP/PHOTO-VISUAL-EQUIP/08/2026
Date Issued	10 TH August 2026
Submission Deadline	5.00 PM, Monday 18th August 2026
Delivery Location	Kambi Garba, next to Wamy High School, Isiolo, Kenya

1. Introduction

Merti Integrated Development Programme (MID-P) invites qualified and reputable suppliers to submit quotations for the supply and delivery of DJI Osmo 360 Camera or equivalent, DJI Air 2S Drone or equivalent, and Canon EF 24–105mm f/4L IS II USM Lens or equivalent, in accordance with the specifications and requirements in this RFQ.

2. Description of Items & Supplier Price Schedule

Item No.	Item Description	Unit	Qty	Unit Price Excl. Tax (Kshs.)	VAT/Tax (Kshs.)	Total Price Incl. Tax (Kshs.)
1	DJI Osmo 360 Camera or Equivalent	Piece	1			
2	DJI Air 2S	Piece	1			

	Drone or Equivalent					
3	Canon EF 24–105mm f/4L IS II USM Lens or Equivalent	Piece	1			
	GRAND TOTAL					

3. Minimum Technical Specifications

A. DJI Osmo 360 Camera or Equivalent

Specification	Minimum Requirement	Supplier's Offered Specification	Comply (Yes/No)
Sensor	Dual 1/1.1-inch CMOS HDR sensors		
Aperture	f/1.9 aperture		
Native panoramic video recording	Up to 4K (3840 × 2880) at 30 fps		
Single-Lens Boost/Ultra-Wide Video (4:3)	4K (4:3) up to 3840 × 2880 at 25/30/50/60/100/120 fps		
Single-Lens Boost/Ultra-Wide Video (16:9)	4K (16:9) up to 3840 × 2160 at 25/30/50/60/100/120 fps		
Vertical (9:16) recording	2160 × 3840 at up to 120 fps		
SuperNight mode	4K (4:3 and 16:9) at 25/30 fps		
Ultra-wide field of view	Up to 170°		

Image Stabilization	RockSteady 3.0 electronic image stabilization		
Horizon Leveling	Horizon Steady horizon leveling		
Built-in Storage	Minimum 32 GB built-in storage (or equivalent usable storage)		
Expandable Storage	Support for expandable storage via microSD card		
Battery	Rechargeable lithium-ion battery		
Battery Capacity	Minimum 1950 mAh (7.5 Wh)		

Osmo 360 Accessories

Accessory	Included (Yes/No)	Supplier's Details/Model
Protective carrying case		
Battery		
USB-C charging cable		
Lens protector(s)		
Quick-release mounting adapter		
Additional mounting accessories		
Charging adapter (if applicable)		

If available, kindly provide pricing for both the Standard Combo and the Adventure Combo, including a list of all accessories supplied with each package.

B. DJI Air 2S Drone or Equivalent

Specification	Minimum Requirement	Supplier's Offered Specification	Comply (Yes/No)
Image Sensor	1-inch CMOS sensor		
Effective Resolution	20 MP		

Maximum video resolution	5.4K at up to 30 fps		
Maximum video resolution	4K at up to 60 fps		
Color profiles	Normal (8-bit)		
Color profiles	D-Log (10-bit)		
Color profiles	HLG (10-bit)		
Digital zoom	Up to 4× at 4K		
Digital zoom	Up to 8× at 1080p		
Maximum takeoff weight	Approximately 595 g		
Maximum flight time	At least 31 minutes		
Maximum transmission range	Up to 12 km (FCC) using O3 (OcuSync 3.0) or equivalent transmission system		
Wind resistance	Level 5 (8.5–10.5 m/s)		
Folded	Approximately 180 × 97 × 77 mm		
Unfolded	Approximately 183 × 253 × 77 mm		
Internal storage	Minimum 8 GB		
Storage	Support for microSD cards up to 256 GB		
Obstacle sensing	Four-direction obstacle sensing		
Obstacle sensing direction	Forward		
Obstacle sensing direction	Backward		
Obstacle sensing direction	Upward		

Obstacle sensing direction	Downward		
----------------------------	----------	--	--

DJI Air 2S Quotation Requirements

Requirement	Supplier's Response
Unit price (exclusive and inclusive of applicable taxes)	
Availability and delivery timeline	
Warranty period	
Accessories included in the package	
After-sales support and service options	
Payment terms	

C. Canon EF 24–105mm f/4L IS II USM Lens or Equivalent

Specification	Minimum Requirement	Supplier's Offered Specification	Comply (Yes/No)
Item	Professional DSLR Camera Lens		
Brand	Canon (or equivalent approved brand)		
Model	Canon EF 24-105mm f/4L IS II USM		
Quantity	1 No.		
Lens Mount	Canon EF Mount		
Camera Compatibility	Compatible with Canon EOS 90D DSLR camera		
Lens Type	Standard Zoom Lens		
Focal Length	24–105mm		
Maximum Aperture	Constant f/4 throughout zoom range		
Minimum Aperture	f/22–36		

Autofocus	Ring-type Ultrasonic Motor (USM) with Full-Time Manual Focus Override		
Image Stabilization	Optical Image Stabilizer (IS), minimum 4-stop shake correction		
Lens Construction	17 elements in 12 groups		
Aperture Blades	10-blade circular diaphragm		
Minimum Focusing Distance	0.45 m (1.5 ft.)		
Maximum Magnification	0.24×		
Filter Thread Size	77 mm		
Coating	Air Sphere Coating (ASC) and Fluorine Coating to reduce flare, ghosting, and smudges		
Weather Resistance	Dust- and moisture-resistant construction (L-Series standard)		
Zoom Range	Wide-angle to medium telephoto		
Weight	Approximately 795 g		
Dimensions	Approximately 83.5 × 118 mm		
Lens Hood	Canon EW-83M or equivalent included		
Lens Caps	Front and Rear Lens Caps included		

Carrying Case	Soft Lens Case (LP1219 or equivalent) included		
Colour	Black		
Condition	Brand New, Genuine Canon Product		
Warranty	Minimum 12 months manufacturer's warranty		

The lens features a constant f/4 aperture, 4-stop Optical Image Stabilization, ring-type USM autofocus, 17 elements in 12 groups, a 10-blade circular diaphragm, 77 mm filter thread, and dust- and moisture-resistant L-series construction. It is intended for professional photography and videography and is compatible with Canon EF-mount DSLR cameras, including the Canon EOS 90D.

4. Intended Use

- Photography and videography of community projects
- Meetings, workshops and conferences
- Field monitoring and donor missions
- Portrait photography
- Interviews and documentary production
- Landscape and environmental photography

5. Supplier Requirements

- Genuine products and manufacturer warranty certificate, where applicable
- Certificate of Incorporation/Business Registration
- Valid Tax Compliance Certificate
- Company Profile
- Manufacturer's Authorization, where applicable
- Product brochure or technical datasheet
- At least two recent references for similar suppliers
- Confirmation that the equipment offered complies with the required specifications
- Earliest possible delivery period after receipt of the Purchase Order or Contract

6. Consolidated Quotation Requirements

Requirement	Supplier's Response
Unit price – exclusive of applicable taxes	
Applicable taxes/VAT	
Total price – inclusive of applicable taxes	
Currency of quotation	
Availability	
Delivery period	
Warranty period	
Product make and model	
Country of origin	
Detailed accessories included	
After-sales support and service arrangements	
Payment terms	
Validity period of quotation	

7. Technical Compliance Schedule

Item	Key Requirement	Required Specification	Supplier's Offered Specification	Comply (Yes/No)
1	DJI Osmo 360	Dual 1/1.1-inch CMOS HDR sensors		
2	DJI Osmo 360	Native panoramic video up to 4K (3840 × 28880) at 30 fps		
3	DJI Osmo 360	RockSteady 3.0 and HorizonSteady		
4	DJI Osmo 360	Minimum 32 GB built-in storage;		

		microSD support		
5	DJI Osmo 360	Minimum 1950 mAh (7.5 Wh) battery		
6	DJI Air 2S	1-inch CMOS sensor; 20 MP		
7	DJI Air 2S	5.4K up to 30 fps; 4K up to 60 fps		
8	DJI Air 2S	Minimum 31-minute flight time		
9	DJI Air 2S	Up to 12 km (FCC) using O3 (OcuSync 3.0) or equivalent		
10	DJI Air 2S	Four-direction obstacle sensing		
11	Canon Lens	Canon EF 24-105mm f/4L IS II USM		
12	Canon Lens	Constant f/4 throughout zoom range		
13	Canon Lens	Optical IS, minimum 4-stop shake correction		
14	Canon Lens	Ring-type USM with Full-Time Manual Focus Override		
15	Canon Lens	17 elements in 12 groups		
16	Canon Lens	10-blade circular		

		diaphragm		
17	Canon Lens	77 mm filter thread; ASC and Fluorine Coating		
18	Canon Lens	Dust- and moisture-resistant L-Series construction		

Suppliers shall complete the Supplier's Offered Specification and Comply (Yes/No) columns and attach relevant manufacturer brochures/technical datasheets as evidence of compliance.

8. Submission Instructions

Quotations must be submitted electronically via email to: midpprocurement@midpkenya.org

Email Subject – Supply and Delivery of Professional Photography, Videography and Aerial Imaging Equipment

Submission Deadline: 5.00 PM, Monday 18th August 2026

Late submissions shall not be considered.

9. Delivery Location

Merti Integrated Development Programme (MID-P), Kambi Garba, next to Wamy High School, Isiolo, Kenya. P.O. Box 687–60300, Isiolo, Kenya. Telephone: 0721 576 803 / +254 712 417098. Email: info@midpkenya.org.

The supplier shall be responsible for transportation, insurance, unloading, and delivery of the equipment to the above location.

10. Evaluation Criteria

Evaluation Criteria	Weight
Compliance with Technical Specifications	40%

Price Competitiveness	30%
Delivery Timeline	10%
Warranty and After-sales Support	10%
Supplier Experience and Eligibility Documents	10%
TOTAL	100%

Only quotations that substantially comply with the minimum technical specifications will proceed to financial evaluation. The Procuring Entity reserves the right to accept or reject any quotation without assigning any reason and is not bound to accept the lowest-priced quotation.

11. Supplier Declaration

We confirm that the information provided in our quotation is true and accurate, the equipment offered complies with the minimum technical requirements, and we agree to provide the warranty and after-sales support stated in our quotation.

Supplier Details	Information
Company Name	
Business Registration No.	
KRA PIN	
Contact Person	
Telephone	
Email	
Physical Address	
Postal Address	

12. Authorized Signatory

Particular	Details
Name of Authorized Representative	
Designation	
Signature	
Company Stamp	
Date	

13. Acceptance

Submission of a quotation shall constitute acceptance of the terms and conditions contained in this Request for Quotation. We appreciate your interest and look forward to receiving your quotation.